



SAFETY DATA SHEET

The following Safety Data Sheet (SDS) is being provided pursuant to requirements of the Fed/OSHA (29 CFR 1910.1200 and Cal/OSHA (8 CCR 5194) Hazard Communication Standards. The health and hazards information given here is based on data believed to be accurate by SCMFG Corporation; we do not, however, assume any liability for the accuracy or completeness of this information. We neither suggest nor guarantee that any hazards mentioned are the only ones that may exist. All persons intending to rely on any recommendation, or to use any technique, equipment, or material mentioned should first satisfy themselves that they can meet all applicable safety and health standards. The following SDS supersedes any previously issued SDS for each product covered. The reader is advised to destroy any obsolete SDS and refer only to this SDS. As permitted by OSHA, each SDS may apply to a class of products which have similar hazards and contents.

SDS - DOC 1: COATINGS WITH NO REPORTABLE HAZARDOUS INGREDIENTS

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCTS COVERED BY THIS SDS LISTED BELOW:

WPA8700: WEATHERPRO Flat
WPA8720: WEATHERPRO Low-Sheen
WPA8740: WEATHERPRO Semi-Gloss

WPE8925: WEATHERPRO Flat
WPE8950: WEATHERPRO Low-Sheen
WPE8975: WEATHERPRO Semi-Gloss

ESE8880: ENVIROSHIELD Low-Sheen
ESE8882: ENVIROSHIELD Semi-Gloss

SWE8888: STOPWATER Low-Sheen
SWE8898: STOPWATER Semi-Gloss

WSA1881: WOODSHIELD Flat
WSA2882: WOODSHIELD Low-Sheen
WSA3883: WOODSHIELD Semi-Gloss

ISU5445: IRONSHIELD Eggshell
ISU6446: IRONSHIELD Semi-Gloss
ISU7447: IRONSHIELD High Gloss

SSA8210: SANITIZE SHIELD Eggshell
SSA8230: SANITIZE SHIELD Semi-Gloss
SSA8250: SANITIZE SHIELD High Gloss

LPA240: LOCK-PRIME Primer
SBE260: ELASTO-SEAL/BOND-KOTE Primer

ERC140: ELASTO-RESTORATION Compound (Smooth)
ERG140: ELASTO-RESTORATION Compound (Smooth)
ERG160: ELASTO-RESTORATION Compound (Textured)

PRODUCT TYPE: WATERBORNE PAINT OR PAINT RELATED MATERIAL
RECOMMENDED USE: ARCHITECTURAL COATING

HMS CODES: H F R PP
0 0 0 E

MANUFACTURER: SCMFG CORPORATION
8825 N 23RD AVE STE 100
PHOENIX, AZ 85021

EMERGENCY PHONE: 1-800-985-5833
OTHER CALLS: 1-888-897-4263
FAX NUMBER: 1-888-897-4263



SAFETY DATA SHEET

SDS - DOC 1: COATINGS WITH NO REPORTABLE HAZARDOUS INGREDIENTS

SECTION 2: HAZARDS IDENTIFICATION

GHS CLASSIFICATION: (NOT APPLICABLE)

GHS LABEL ELEMENTS: NOTE: THIS CONSUMER PRODUCT IS EXEMPT FROM OSHA GHS-HCS LABELING REQUIREMENTS.

SIGNAL WORD: (NONE REQUIRED) HAZARD STATEMENT: (NONE REQUIRED)

PICTOGRAM: (NONE REQUIRED)

PRECAUTIONARY STATEMENTS:

PREVENTION: DO NOT INGEST. USE ONLY WITH ADEQUATE VENTILATION OR PROTECTION. AVOID INHALING SPRAY MIST. AVOID CONTACT WITH EYES AND SKIN. CLOSE CONTAINER AFTER EACH USE. KEEP OUT OF REACH OF CHILDREN.

RESPONSE: CLEAN UP SPILLS WITH INERT ABSORBENT MATERIAL, SUCH AS CLAY GRANULES, PAPER OR CLOTH WIPES. ALLOW TO DRY BEFORE DISPOSAL.

STORAGE & DISPOSAL: KEEP ABOVE 40°F AT ALL TIMES. DISPOSE OF CONTAINER AND CONTENTS IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

HAZARDS NOT OTHERWISE CLASSIFIED: NONE.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:

| CHEMICAL NAME | COMMON NAME / SYNONYMS | CAS NUMBER | CONCENTRATION (%WT) |
|---------------|------------------------|------------|---------------------|
|---------------|------------------------|------------|---------------------|

NO REPORTABLE HAZARDOUS INGREDIENTS.

NOTE: POTENTIAL UNUSUAL ALLERGIC SENSITIVITY TO TRACE INGREDIENTS OF THIS PRODUCT CAN BE MINIMIZED BY FOLLOWING RECOMMENDED PROCEDURES FOR SAFE HANDLING, STORAGE, DISPOSAL, AND USE.

SECTION 4: FIRST-AID MEASURES

FIRST-AID MEASURES:

SKIN: WASH THOROUGHLY WITH SOAP AND WATER.

INGESTION: HAVE VICTIM DRINK ENOUGH FRESH WATER TO ENSURE DILUTION. NO SPECIFIC DATA

INHALATION: MOVE VICTIM TO FRESH AIR.

SYMPTOMS AND EFFECTS: MAY CAUSE MILD IRRITATION TO EYES AND SKIN, GASTROINTESTINAL AND RESPIRATORY TRACTS. SLIGHT DIZZINESS, NAUSEA AND HEADACHE.

NOTES TO FIRST AID PROVIDERS: CALL FOR MEDICAL ASSISTANCE IF SYMPTOMS PERSIST.

NOTES TO PHYSICIAN: TREAT SYMPTOMATICALLY. CONTACT POISON TREATMENT SPECIALIST IMMEDIATELY IF LARGE QUANTITIES HAVE BEEN INGESTED OR INHALED.

Page 2 of 6

SDS Date:12/05/2016

Perfection & Precision in the Painting & Coatings IndustrySM

Copyright © 2016 - All Rights Reserved - SCMFG CORPORATION Intellectual Property.

Copyright © SCMFG CORPORATION (1995-2016). All Rights Reserved.

®TM* Trademark of The Shane Coatings Company ("Shane Coatings MFG") or an affiliated company of Shane Coatings MFG. All product names, trademarks and registered trademarks are property of their respective owners.

SAFETY DATA SHEET

SDS - DOC 1: COATINGS WITH NO REPORTABLE HAZARDOUS INGREDIENTS

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG.

UNUSUAL FIRE AND EXPLOSION HAZARDS: LIQUID MATERIAL IS NON-COMBUSTIBLE, BUT DRIED FILMS ARE CAPABLE OF SUPPORTING COMBUSTION WHEN IN CONTACT WITH OPEN FLAMES. CLOSED CONTAINERS CAN DEVELOP INTERNAL PRESSURE AND MAY RUPTURE WHEN SUBJECTED TO EXTREME HEAT.

HAZARDOUS COMBUSTION PRODUCTS: COMBUSTION CAN PRODUCE CARBON MONOXIDE AND/OR CARBON DIOXIDE.

SPECIAL EQUIPMENT & PRECAUTIONS: USE SELF-CONTAINED BREATHING APPARATUS IN CONFINED SPACES. OBSERVE RECOMMENDED PROCEDURES FOR HANDLING ORDINARY COMBUSTIBLE MATERIALS.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, EMERGENCY PROCEDURES: EAR WATERPROOF GLOVES TO AVOID SKIN CONTACT. KEEP CHILDREN AND PETS AWAY FROM SPILLED LIQUID. PREVENT LIQUID FROM ENTERING DRAINS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP: DIKE SPILLED LIQUID WITH INERT MATERIAL, SUCH AS CLAY GRANULES. SCOOP UP EXCESS LIQUID AND POUR INTO CONTAINER. USE PAPER OR CLOTH WIPES TO CLEAN UP SMALL SPILLS. ALLOW TO DRY BEFORE DISPOSAL.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PRECAUTIONS: KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT STACK CONTAINERS MORE THAN THREE HIGH. SECURE LOADS AGAINST SHIFTING DURING TRANSPORTATION. USE ONLY AN APPROPRIATE TOOL TO OPEN CONTAINERS.

SAFE STORAGE CONDITIONS: STORE IN COOL, WELL-VENTILATED AREA. MAINTAIN TEMPERATURE BETWEEN 40°F AND 90°F. AVOID EXPOSURE TO DIRECT SUNLIGHT, HEAT OR FLAME. INSPECT CONTAINERS FOR LEAKS PERIODICALLY. ROTATE STOCK, USE OLDER MATERIAL FIRST.

INCOMPATIBILITIES: DO NOT HANDLE OR STORE NEAR WATER-REACTIVE MATERIALS, STRONG OXIDIZERS, ACIDS OR ALKALIS.

SAFETY DATA SHEET

SDS DOC 1: COATINGS WITH NO REPORTABLE HAZARDOUS INGREDIENTS

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

| HAZARDOUS INGREDIENTS | CAS NUMBER | %WT | ACGIH | OSHA EXPOSURE LIMITS | | VAPOR PRESS mmHg @ TEMP |
|-----------------------|------------|-----|----------------|----------------------|---------------------------|----------------------------|
| | | | TLV/TWA PPM | TWA PPM | STEL MG/M ³ | |

NO REPORTABLE HAZARDOUS INGREDIENTS.

| | |
|---|--|
| ENGINEERING CONTROLS: | USE SIGNS OR BARRIERS TO RESTRICT ACCESS TO PAINTING WORK AREA. |
| VENTILATION: | NORMAL AIR CIRCULATION SHOULD BE SUFFICIENT. OTHERWISE, USE PORTABLE FANS. ENSURE ADEQUATE VENTILATION DURING APPLICATION, DRYING AND CURING OF PAINT. |
| RESPIRATORY PROTECTION: | FOR SPRAY APPLICATION, USE PARTICULATE FILTER MASK TO AVOID BREATHING SPRAY MIST. EXPOSED PERSONS WITH UNUSUAL ALLERGIC SENSITIVITY MAY NEED ORGANIC VAPOR RESPIRATOR (NIOSH/MSHA TC 23C OR EQUIVALENT). |
| EYE PROTECTION: | USE SAFETY GLASSES, GOGGLES, OR FACE SHIELD TO PROTECT EYES. |
| SKIN PROTECTION: | USE WATERPROOF GLOVES (LATEX, VINYL, RUBBER, OR NEOPRENE) TO AVOID SKIN CONTACT. |
| OTHER PROTECTIVE CLOTHING OR EQUIPMENT: | WATERPROOF HEADCOVERING AND GENERAL PROTECTIVE CLOTHING ARE RECOMMENDED FOR PROTECTION AS NECESSARY. |
| WORK HYGIENIC PRACTICES: | WASH HANDS AND FACE BEFORE EATING OR DRINKING. |

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

| | | | |
|------------------------|----------------------------|------------------------|-----------------------------|
| APPEARANCE: | OPAQUE LIQUID DISPERSION | VAPOR PRESSURE: | SAME AS WATER VAPOR |
| ODOR: | VERY MILD ODOR | VAPOR DENSITY: | SAME AS WATER VAPOR |
| ODOR THRESHOLD: | (NO INFORMATION AVAILABLE) | SPECIFIC GRAVITY: | ~1.4 (H ₂ O = 1) |
| pH AS SUPPLIED: | ~8.5 | SOLUBILITY IN WATER: | PARTLY SOLUBLE |
| FREEZING POINT: | 0° C / 32° F | PARTITION COEFFICIENT: | (NO INFORMATION AVAILABLE) |
| BOILING POINT: | 100° C / 212° F | AUTO-IGNITION TEMP: | (NOT APPLICABLE) |
| FLASH POINT: | (NOT APPLICABLE) | DECOMPOSITION TEMP: | (NO INFORMATION AVAILABLE) |
| EVAPORATION RATE: | SAME AS WATER | VISCOSITY: | 85 – 115 KU |
| FLAMMABILITY: | (NOT APPLICABLE) | PERCENT SOLIDS: | BY VOL: ~50% BY WT: ~70% |
| UPPER EXPLOSIVE LIMIT: | (NOT APPLICABLE) | PERCENT VOLATILE: | BY VOL: ~60% BY WT: ~45% |
| LOWER EXPLOSIVE LIMIT: | (NOT APPLICABLE) | | |

SAFETY DATA SHEET

SDS - DOC 1: COATINGS WITH NO REPORTABLE HAZARDOUS INGREDIENTS

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: REACTIVITY NOT KNOWN TO OCCUR UNDER NORMAL CONDITIONS.
CHEMICAL STABILITY: STABLE UNDER NORMAL CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS: POLYMERIZATION WILL NOT OCCUR.
CONDITIONS TO AVOID: AVOID STORAGE OR USE AT TEMPERATURES BELOW 40° F.
INCOMPATIBLE MATERIALS: AVOID WATER-REACTIVE MATERIALS, STRONG OXIDIZERS, ACIDS AND ALKALIS.
HAZARDOUS DECOMPOSITION PRODUCTS: COMBUSTION CAN PRODUCE CARBON MONOXIDE AND/OR CARBON DIOXIDE.

SECTION 11: TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF EXPOSURE: INHALATION, INGESTION, SKIN AND EYE CONTACT
SYMPTOMS OF OVEREXPOSURE: MAY CAUSE MILD IRRITATION TO EYES AND SKIN, GASTROINTESTINAL AND RESPIRATORY TRACTS. SLIGHT DIZZINESS, NAUSEA AND HEADACHE POSSIBLE IN EXPOSED PERSONS WITH UNUSUAL ALLERGIC SENSITIVITY.
DELAYED OR CHRONIC EFFECTS: AVAILABLE INFORMATION PROVIDES NO EVIDENCE OF DELAYED OR CHRONIC HEALTH EFFECTS ASSOCIATED WITH EXPOSURE.
NUMERICAL MEASURES OF TOXICITY: (NO INFORMATION AVAILABLE)
CARCINOGENICITY: NTP? NO. IARC? NO. OSHA? NO. PROP 65? NO.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: (NO INFORMATION AVAILABLE)

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: DISPOSE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS. LOCAL REQUIREMENTS MAY VARY. CONSULT YOUR SANITATION DEPARTMENT OR STATE-DESIGNATED ENVIRONMENTAL PROTECTION AGENCY FOR MORE DISPOSAL OPTIONS.
RCRA HAZARD CLASS: NON-HAZARDOUS

SECTION 14: TRANSPORT INFORMATION

THIS MATERIAL IS NOT SUBJECT TO DOT, IATA/ICAO, OR IMO/IMDG TRANSPORTATION REGULATIONS. ACCEPTABLE FOR AIR TRANSPORT AS NON-HAZARDOUS GOODS.

UN NUMBER: (NOT APPLICABLE) UN PROPER SHIPPING NAME: (NOT APPLICABLE)
TRANSPORT HAZARD CLASS: (NOT APPLICABLE) PACKING GROUP: (NOT APPLICABLE)
ENVIRONMENTAL HAZARDS: (NOT APPLICABLE) TRANSPORT IN BULK: (NOT APPLICABLE)
SPECIAL PRECAUTIONS: FOLLOW RECOMMENDED PROCEDURES FOR SAFE HANDLING AND STORAGE.

SAFETY DATA SHEET

SDS - DOC 1: COATINGS WITH NO REPORTABLE HAZARDOUS INGREDIENTS

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

| | |
|-----------------------------|--|
| TSCA: | ALL COMPONENTS ARE LISTED IN TSCA INVENTORY OR EXEMPT. |
| CERCLA: | NOT LISTED AS A HAZARDOUS SUBSTANCE. |
| SARA TITLE III: | NOT LISTED AS A HAZARDOUS SUBSTANCE. |
| 311/312 HAZARD CATEGORIES: | (NOT APPLICABLE) |
| 313 REPORTABLE INGREDIENTS: | (NOT APPLICABLE) |
| STATE REGULATIONS: | (NOT APPLICABLE) |

SECTION 16: OTHER INFORMATION

IT IS RECOMMENDED THAT EACH CUSTOMER OR RECIPIENT OF THIS SAFETY DATA SHEET (SDS) STUDY IT CAREFULLY AND CONSULT RESOURCES, AS NECESSARY OR APPROPRIATE, TO BECOME AWARE OF AND UNDERSTAND THE DATA CONTAINED IN THIS SDS AND ANY HAZARDS ASSOCIATED WITH THE PRODUCT.

DISCLAIMER: THIS INFORMATION IS PROVIDED IN GOOD FAITH AND BELIEVED TO BE ACCURATE AS OF THE EFFECTIVE DATE HEREIN. HOWEVER, NO WARRANTY, EXPRESS OR IMPLIED, IS GIVEN. THE INFORMATION PRESENTED HERE APPLIES ONLY TO THE PRODUCT AS SHIPPED.

THE ADDITION OF ANY MATERIAL CAN CHANGE THE COMPOSITION, HAZARDS AND RISKS OF THE PRODUCT. PRODUCTS SHALL NOT BE REPACKAGED, MODIFIED, OR TINTED EXCEPT AS SPECIFICALLY INSTRUCTED BY THE MANUFACTURER, INCLUDING BUT NOT LIMITED TO THE INCORPORATION OF PRODUCTS NOT SPECIFIED BY THE MANUFACTURER, OR THE USE OR ADDITION OF PRODUCTS IN PROPORTIONS NOT SPECIFIED BY THE MANUFACTURER.

REGULATORY REQUIREMENTS ARE SUBJECT TO CHANGE AND MAY DIFFER BETWEEN VARIOUS LOCATIONS AND JURISDICTIONS. THE CUSTOMER/BUYER/USER IS RESPONSIBLE TO ENSURE THAT HIS ACTIVITIES COMPLY WITH ALL COUNTRY, FEDERAL, STATE, PROVINCIAL OR LOCAL LAWS. THE CONDITIONS FOR USE OF THE PRODUCT ARE NOT UNDER THE CONTROL OF THE MANUFACTURER; THE CUSTOMER/BUYER/USER IS RESPONSIBLE TO DETERMINE THE CONDITIONS NECESSARY FOR THE SAFE USE OF THIS PRODUCT. THE CUSTOMER/BUYER/USER SHOULD NOT USE THE PRODUCT FOR ANY PURPOSE OTHER THAN THE PURPOSE SHOWN IN THE APPLICABLE SECTION OF THIS SDS WITHOUT FIRST REFERRING TO THE SUPPLIER AND OBTAINING WRITTEN HANDLING INSTRUCTIONS. DUE TO THE PROLIFERATION OF SOURCES FOR INFORMATION SUCH AS MANUFACTURER-SPECIFIC SDS, THE MANUFACTURER CANNOT BE RESPONSIBLE FOR SDSS OBTAINED FROM ANY OTHER SOURCE.